DoD Space Planning Criteria for Health Facilities

Preventive Medicine

<u>3.19.01 PURPOSE AND SCOPE</u>: This section provides draft guidance for the space planning criteria for the preventive medicine activities in DoD medical facilities.

3.19.02 DEFINITIONS:

3.19.03 POLICY:

3.19.04 SPACE CRITERIA:

Toilets, Lounges and Locker Areas: The criteria for toilets, lounges and locker rooms are provided in Section 6.

Administrative Offices: The office space required to provide administrative support to operate the clinic services will be provided in accordance with criteria for administration in Section 2.1.

NOTE: GP indicates that a guideplate exists for that particular Room Code.

Industrial Hygiene, Environmental and Bioenvironmental Sciences

Preventive Medicine Chief	OFA01	11.15	120	Private office, Standard Furniture. One per Chief, Preventive Medicine.
	OFA02	44.47	120	Private office, System Furniture.
Secretary w/Visitor Waiting	SEC01	11.15	120	One per section.
Environmental Engineer Office	OFA01 OFA02	11.15	120	One per FTE programmed.
Environmental SanitarianOffice	OFA01 OFA02	11.15	120	One per FTE programmed.
Medical Entomologist Office	OFA01 OFA02	11.15	120	One per FTE programmed.
Nuclear Medical Science Office	OFA01 OFA02	11.15	120	One per FTE programmed.
Health Physics TechnicianCubicle	OFA03	5.57	60	System Furniture, Cubicles. One per technician.
Health Assistant Office	OFA01 OFA02	11.15	120	One per FTE programmed.
PVT MED Specialist Cubicle	OFA03	5.57	60	One per Technician programmed.
Forms/Literature Storage	FILE1	7.42	80	One per activity. Share with Health Nurse.
Copy Room	RPR01	5.57	60	One per section.
Safety Officer/NCO	OFA01 OFA02	11.15	120	One per safety officer/NCO programmed.
Industrial Hygienist Cubicle	OFA03	5.57	60	One per FTE programmed.
Industrial Hygiene Lab	LBIH1	9.29	100	One per activity.
Water Lab	LBWA1	9.29	100	One per activity.
Entomolgy Lab	LBEN1	23.23	250	One per activiy.
Nuclear Medical Science Lab	LBRP1	13.94	150	When Nuclear Medicine Science Officer authorized. W/shield for Walls/ Doors /Ceilings /Floor as appropriate.

Aerospace, Aviation, and Submarine Medicine

DoD Space Planning Criteria for Health Facilities

Preventive Medicine

FUNCTION ROOM CODES AUTHORIZED PLANNING	RANGE/COMMENTS
---	----------------

Treatment Room (GP)	TRGM1	16.26	175	One per clinic.
Optometrist Eye Exam and Office	EYEL1	17.19	185	One weem now ETE Ontometriet music stad
(GP)	EYEL3	15.79	170	One room per FTE Optometrist projected.

DoD Space Planning Criteria for Health Facilities

Preventive Medicine

FUNCTION	ROOM CODES	AUTHORIZED	PLANNING RANGE/COMMENTS
----------	---------------	------------	-------------------------

Occupational Health/Civilian Employee Health Clinic

Audiobooth (GP)	PEHS1	11.15	120	One-person audio screening booth.
	PEHS2	34.84	375	Four- person audio screening booth.
	PEHS3	34.84	375	Six- person audio screening booth.
Vision Screening Room (GP)	EYVS1	11.15	120	One per clinic.
Patient Records Storage	MRS01	5.57	60	Minimum See Section 2.5 for increased sizing.
Secretary w/Visitor Waiting	SEC01	11.15	120	Minimum of 60 nsf per FTE assigned.
Private Office	OFA01	─ 11 15	120	One per FTE projected. Standard furniture.
	OFA02			One per FTE projected. Systems furniture.
Administrative Cubicle	OFA03	5.57	60	One per FTE projected.
Interview Room	OFA01 OFA02	11.15	120	Number of rooms based on clinic concept of opertions.